## ELEVATION CERTIFICATE

FFRERAL EMERGENCY MANAGEMENT AGENCY ATIONAL FLOOD INSURANCE PROGRA

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to ATTENTION: Use of this certificate does not provide a waiver of the flood insurance political requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR), determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

	SECTION A PRO	PERTY INFOR	MATION		FOR INSURANCE COMPANY USE
	SECTION A PRO				POLICY NUMBER
UILDING OWNER'S NAME UNKNOWN BY THE I	ENGINEER		NETT AND BOY MINDER		COMPANY NAIC NUMBER
TREET ADDRESS (Including Ap	t., Unit. Suite and/or Bldg. N Prive	lumber) OR P.O. HC	OUTE AND BOX NOMBER		
TUES DESCRIPTION (Lot and E	Block Numbers, etc.)				
Fourth Building	"C", Units 38-	41 & 44-47		STATE	ZIP CODE
Palm Springs, Ca	a			Ca.	92262
	SECTION B FL		NCE RATE MAP (FIRM)	INFORMATION	
rovide the following from t	he proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER	3 SUFFIX	4. DATE OF FIRM INDEX	5 FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
040257	0009	С	6/18/96	A	
For Zones A or V, where the community's BFE:	teet h	NGVD (or other	FIRM datum-see Sectio	n B, Item 7).	9 Other (describe on back for this building site, indicate
I. Using the Elevation Cer			NG ELEVATION INFOR		
(c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The one) the highest grad tevel) elevated in account to the FIRM [see Section of the firm of the f	th BFE). The floor uses the highest grade as floor used as the refuse adjacent to the built cordance with the constatum system used in the light of the mage 2). (NOTE: If the built on B, Item 7], then constants on Page 2.)	ed as the refere adjacent to the beerence level from the following. If no floor inmunity's floody determining the elevation data wert the elevation	m the selected diagram in the selected diagram in the selected diagram in the depth number is available in management ordinates above reference level end used in measuring the consist of the datum system in the datum system.	s feet feet feet feet feet feet feet fee	t above or below (checong's lowest floor (reference
A Elevation reference ma	ark used appears on I	FIRM: X Yes	No (See Instructions	on Page 4)	
case this certificate will	uction drawings is on only be valid for the i postruction is comple	ly valid it the bui building during t te.)	the course of construction	n. A post-consti	vel floor in place, in which ruction Elevation Certificate
6. The elevation of the lo Section B, item 74).	west grade immediat	ely adjacent to t	he building is: 1 1312:	브.뜨 feet NG\	/D (or other FIRM datum-see
<u> </u>		SECTION D	COMMUNITY INFORMA	TION	:
the Toyest floor	as defined in the co	ifying building el mmunity's flood	evations specifies that the plain management ording the NGVD (or other FIRM d	e reference level	el indicated in Section C, Item ion of the building's "lowest on B, Item 7).
		EC ATT DETIRATE IC		SF:	REVERSE SITE FOR CONTINUE


This certification is to be signed by a landary veyor, engineer, or architect who is authorized state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE), V1–V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

*ព្រោប់ម៉ូ*ល ន

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

James D. Feiro CERTIFIER'S NAME		RCE 24176 LICENSE NUMBER (or A	H. Cool	
			mix Sear)	
Owner		. Feiro, CE-LS	·	<u> </u>
ITLE	COMPANY	and the second of the second o		
P. O. Box 12980	Palm Desert		Ca.	92255
ADDRESS Fair	>	11/5/97	STATE (760) 346-8015	ZIP
SIGNATIONE		DATE	PHONE	:
_			nt/company, and 3) building	ng owner.
Copies should be made of this Co	st Finished Floor Ele		PROFE	\$8100
_			nt/company, and 3) bullding	\$ 510A
_			SE A DES D	SSTONAL ENGLIS
_			Wed by No. C-5	SSTONATION NO WEER 4176
_			SE A DES D	SSTOWAL NO. STOWAL NO.



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.