ELEVATION CERTIFICAT

FEDERAL EMERGENCY MANAGEMENT AGENCY

O.M.B. No. 3067-0077

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. Instructions for completing this form can be found on the following pages,

	ng pages,
SECTION A PROPERTY INFORMATION	ГОЛ INSURANCE COMPANY USE
Ronald O. Williams	POLICY NUMBER
ADDRESS (Including Apt., Unit, Suite and/or Pt.)	. OCIO, MOWBEH
1681 Ponderosa Way	COMPANY NAIC NUMBER
TOTAL COLUMN BIOCK NUMBERS AND ADDRESS AND	
Lot 2, Tr. No. 24325, per M.B. 245/76-77, O.R. Palm Springs	
	ZIP CODE
OCOHOMB FLOOD MICHORANOS III	92264 ON
1 COMMUNICATION (GGG INSTRUCTIONS):	
3. SUFFIX	
060257 0008 C TOWN NOTEX 5. FIRM ZONE	I STATE OF THE VALUE
7. Indicate the alarmine A-3	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
8. For Zones A or V, where no BFE is provided on the FIRM for Base Flood Elevations (BFE): NGVD '2 the community's BFE:	372
the community's BFE:	9 Uther (describe on back)
the community's BFE: 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	for this building site, Indicate
SECTION C PULL DIVIN	
1. Using the Elevation Certificate Instructions, Indicate the diagram number from the diagrams found on 2(a). FIRM Zones A1-A30, AE, AH, and A (with BFF). The top of the	
describes the subject building's reference level.	D
Z(a). FIHM Zones A1-A30, AE, AH, and A (with REE). The terration	rages 5 and 6 that best
of [[3] /8] Is the source of the source level floor from the	
(b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member (c). FIRM Zone A (without BFE). The floar was 1	and elevation
the selected diagram to a selected diagram t	of the reference to the
(c). FIRM Zone A (without BFE). The floor word feel NGVD (or other FIRM datum-see S	cottle reletence level from
below (check one) the highest greater it	ection B, Item 7).
(c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is	or الله الله الله الله الله الله الله الل
one) the highest grade stiller and as the reference level from the selected discussed in the selected discussed discussed discussed in the selected discussed discusse	_
level) elevated in accordance with the community's floodplain management ordinance? Yes under Comments on Page 2). (NOTE: If the above reference level elevations of Page 2).	ove or below (check
3. Indicate the starry	o lowest 100f (falaranca
Willer Comments and December of Uclermining the about	IVV I I UNKNOWN
the FIRM [see Section B, Item 7], then convert it the elevation datum used in measuring the elevations: [X] NGV	D '29 D Other (describe
	ent than that used on
· Lloydillon felerance mark was a	ind show the conversion
The reference level along the second	
case this certificate will only be valid for the building does not yet have the reference level of	
case this certificate will only be valid for the building during the course of construction. A post-construction will be required once construction is complete.)	or in place, in which
The elevation of the lowest grade immediately adjacent to the building is: 1 378 B feet NGVD (or Section B, Item 7).	Tevalion Centicate
Section B, Item 7).	aller Since
(or	other FIHM datum-see
If the community official responsible (
KAIL COMMINITY INFORMATION	
in the community official responsible for west in the community official responsible for west in the community of the communi	
is not the "lowest floor" responsible for verifying building playeties.	
is not the "lowest theat" responsible for verifying building playetters.	ated in Section C, Item 1
is not the "lowest theat" responsible for verifying building playetters.	aled in Section C, Item 1 ne building's "lowest
is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the start of construction or substantial improvement.	ated in Section C, Item 1 he building's "lowest em 7).
is not the "lowest theat" responsible for verifying building elevations	ated in Section C, Item 1 he building's "lowest em 7).

SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the provided by I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section Follows

PETE BILLINGTON

P.L.S. NO. 4152

LICENSE NUMBER (or Affix Seal)

PETE BILLINGTON & ASSOCIATES

TILE

COMPANY NAME

966 VELLA ROAD, PALM SPRINGS, CA. 92264

ADDRESS

CITY

ZIP

SIGNATURE

DATE

PHONE

Copies should be made of this Certificate for: 1) community official, 2) Insurance agent/company, and 3) building owner.


COMMENTS: Bench Mark used: City of Palm Springs B.M. 19-16 (reset 1975)

City Bench Marks are on NGVD '29 Datum.

Building will be elevated in accordance with a Grading Plan for Tract No.24325 as approved by the City of Palm Springs.

Proposed finished floor elevation per said Grading Plan is to be 378.80

*|2-1-<u>98</u> (*760) 323-4573



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.