

# ARCHITECTURAL REVIEW COMMITTEE MEMORANDUM

DATE: NOVEMBER 15, 2021 NEW BUSINESS

SUBJECT: LIZ OSTOICH, OWNER, REQUESTING A LAND USE PERMIT AND A

WAIVER TO CONTINUE THE USE OF AN ENLARGED PARKLET LOCATED AT 415 NORTH PALM CANYON DRIVE, ZONE CBD, (CASE

21-076 LUP). (AP)

FROM: Department of Development Services

## **SUMMARY & PROJECT DESCRIPTION:**

This is a request for a Land Use Permit and waiver to continue the use of a 436-square foot parklet to provide more areas for outdoor dining. The waiver is required because the parklet extends beyond the business store front; however, it is no wider than the width of an on-street parking space. The proposed parklet is enclosed on three sides by a 42" high decorative metal rail, with a wood trim on the top. The parklet deck is flush with the city curb and allows water to drain along the gutter. Existing furniture and planters will be able to withstand the natural elements of the Coachella Valley. Shade will be provided by red umbrellas, consistent with the color theme of TacQuila. A new sign, located on the front of the parklet, is 17.5-square feet and complies with the PSZC sign ordinance.

#### **RECOMMENDATION:**

That the Architectural Review Committee approve the application as submitted.

#### **BUSINESS PRINCIPAL DISCLOSURE:**

The applicant has filed a Public Integrity Disclosure form stating that Mark A. Ostoich and Elizabeth A. Ostoich are the sole officers, directors and members. The Public Integrity Disclosure form is included as an attachment to this report.

# **BACKGROUND INFORMATION:**

Surrounding Business Notification		
11/4/21	Notice sent to surrounding property owners within 150-feet, notifying them that the Architectural Review Committee would review the project.	

Field Check	
10/26/21	Staff visited the site to observe existing conditions.

# **STAFF ANALYSIS:**

Site Area	
Net Acres	0.15 Acres

General Plan Areas or Master Plan Areas	Compliance
CBD (Central Business District)	Υ
Specific Plan Area	Compliance
N/A	N/A

Surrounding Property	Existing Land Use Per Chapter 92	Existing General Plan Designation	Existing Zoning Designation
Subject Property	Restaurant	CBD	CBD
North	Law Office	CBD	CBD
South	Spa	CBD	CBD
East	Retail	CBD	CBD
West	American Legion	CBD	CBD

# PARKLET DESIGN REVIEW CHECKLIST:

LOCATION REQUIREMENTS			
Parklet extends no more than width of the on-street parking space.	Υ		
Parklet does not extend beyond tenant space.		N*	
Parklet located on one frontage only.	Υ		
PARKLET STRUCTURE			
Parklet base provided flush with sidewalk; allows for flow of stormwater.	Υ		
Parklet decking materials conform to list of permitted materials.	Υ		
Parklet decking color conforms to list of permitted colors.	Υ		
Railing provided; railing height is between 36" and 43".	Υ		
Railing materials conform to list of permitted materials.	Υ		
Railing color conforms to list of permitted colors.	Υ		
Retro Reflective tape is placed on parklet.	Υ		
UMBRELLAS			
Umbrella(s) allow for 7' minimum clearance; max. 10' height.	Υ		
Umbrella material is non-flammable or flame retardant.	Υ		
Umbrella color is consistent with general color theme of restaurant.	Υ		
No text or logos on umbrellas.	Υ		
FURNITURE			
Parklet furniture is consistent with restaurant furniture.	Υ		
Furniture materials conform to list of permitted materials.	Υ		

Furniture colors conform to list of permitted colors.	Υ
PLANT MATERIALS	
Plant materials consistent with recommended list.	Υ
MISTING SYSTEM	
Misting system is integral with parklet structure.	Υ
Post/beams to support misting system no more than 4"x4" and 96" high.	Υ
LIGHTING	
Full cut-off fixtures or "Tivoli" lighting utilized.	Υ
Light bulbs are clear or white in color.	Υ
Post/beams to support lighting system no more than 4"x4" and 96" high.	Υ
Electrical cords do not pose tripping hazard.	Υ
SIGNAGE	
Signage does not exceed total amount permitted for restaurant.	Υ
Signage does not extend above top of railing or barrier.	Υ
WAIVER – SHADE STRUCTURE	
Structure allows for 7' min. clearance; max. 10' height.	N/A
Structure does not extend past perimeter edge of parklet	N/A
Structure canvas is non-flammable or flame retardant.	N/A
Structure color is consistent with general color theme of restaurant.	N/A
Notice provided to business owners/property owners within 150'.	N/A
WAIVER – EXTEND PAST TENANT SPACE	
Consent provided from affected business owner, property owner.	Υ
Notice provided to business owners/property owners within 150'.	Υ

<sup>\*</sup> Waiver is required.

## **CONCLUSION:**

The proposed parklet will be an enhancement to the surrounding area. The parklet complies with the design standards set forth by the City Council, therefore, Staff recommends that the Architectural Review Committee approve, as submitted.

PREPARED BY:	Alex Perez, Assistant Planner
REVIEWED BY:	David Newell, AICP Assistant Director of Planning


# **ATTACHMENTS:**

- 1. Vicinity Map
- 2. LUP Application
- 3. Property Owner Approval Letter
- 4. Approved Parklet Design Guidelines
- 5. Plans



# Department of Planning Services Vicinity Map





CITY OF PALM SPRINGS 415 North Palm Canyon Drive



# **CITY OF PALM SPRINGS**

Department of Planning Services 3200 East Tahquitz Canyon Way, Palm Springs, CA 92262 Phone: 760-323-8245 ~ Fax: 760-322-8360

# LAND USE PERMIT # 21-076

LAND USE PERIVIT # & 1-0.0				
Applicant:	Mailing Address:	S 2.	), Phone:	951-288-5929
Tac/Quila	0.0	San Belpa 18 (A 924)	Tautax:	6
Business Name:		18 (A 924) te Address:	23 E-Mail:	
L Tac/Duin		Le Address:	1.	Palm Springs, c
APN:	Zone/GP:	15 10 PA	Many	10000
1513-082-02	CBD/CI	3.D	Section, Low	vnship, Range:
<b>PROCEDURE:</b> An a Planning Services ba	application for a Landsel	d Use Permit sha	all be submitte	ed to the Department of
Applications for date. This allows	special events require for proper processing	e submission no l ng and review by	ess than 30-c multiple City	lays prior to event agencies.
	l/or site plan display the public right-of-wa proval of the Director			. Outdoor seating that agreement or license,
<ol> <li>Such other inforr limited to adjacer furniture informat</li> </ol>		r of Planning Ser , building elevatio	vices may red ns, landscape	quire, including, but not e plans, design studies,
parking, traffic circulat	ion, and any other inf	formation of the ne	nitation, noise	, expected size, volume, e, air pollution, vehicle
Confinue use guidelines. umbrillats of conditions: (see at	metal wall	porplet for the tree fit was	Per Neur rish fro tached,	design ormal plants of well as
TRANSFER: Transfer the Director of Planning	of Land Use Permit to Services.	another applican	t is subject to	review and approval by
REVOCATION: The D meet or comply with co	irector of Planning Se nditions and requiren	rvices may revoke nents of this perm	e any Land Us it.	se Permit that does not
Applicant's Signature				Date
Elik apen	A. Oth			10/14/2
		$\overline{\mathcal{O}}$		

LAND USE PERMIT #	
See Attached	
EX. CURB OR EDGE OF PAVEMENT	
SITE PLAN	
Please include locations of tables & chairs, fencing, on-site parking, proximity parking, sign location, and all other applicable structures (temporary or permanent).  BUSINESS NAME:	1
BUSINESS NAME: Tac/Prida	1
SITE LOCATION: FIS N. Palm Caryon Palm Spring, A 92262.	
TELEPHONE: 951-288-5828 FAX:	
E-MAIL: Lize tacquila : Com	
R / PLAN / 00 Templates Applications and Forms / Application Forms for Public use / 2014 Applications for Web - Fillable	

.

DESERT LEGAL
DOCUMENTS IS A LOW
COST, SELF-HELP LEGAL
ASSISTANCE SERVICE AND
A COMMUNITY RESOURCE
CENTER.



WE ARE NOT ATTORNEYS AND DESERT LEGAL DOCUMENTS IS NOT A LAW FIRM. WE CAN ONLY PROVIDE SELF-HELP SERVICE AT YOUR DIRECTION.

October 17, 2021

Alex Perez Assistant Planner The City of Palm Springs 3200 E Tahquitz Canyon Way Palm Springs, CA 92262

Re: Approval for Tac/Quila Restaurant's use of the parklet and sidewalk in front of 423 N. Palm Canyon Dr as well as the carport area behind the business.

Dear Mr. Perez,

Please be advised that both the business owner and the property owner approve of the above referenced matter. We have both signed this letter as requested.

- /1

Michael Eicksteadt

Business owner of Desert Legal Documents

Mike Hoffman

Property owner of 423 N. Palm Canyon Dr

Memh/mg

#### **RESOLUTION NO. 24937**

#### **ATTACHMENT A**

# **Parklet Design Guidelines**

- A. General Requirements.
  - 1. Parklet Position and Dimensions. For parallel on-street parking spaces, a parklet shall extend no more than eight (8) feet from the face of curb. Where the on-street parking space is less than eight (8) feet in width, the parklet shall extend no more than the width of on-street parking space and shall not extend into the lane of traffic. For diagonal or perpendicular on-street parking spaces, a parklet shall not extend no more than the depth of the on-street parking space and shall not be permitted to extend into the lane of traffic. A parklet shall not be permitted to extend beyond the frontage of the permittee's tenant space or property. For businesses that have frontage on two streets, a parklet shall only be permitted on one street frontage.
  - 2. Attachment. Parklet structures or elements shall not be directly attached to the street pavement, curb, or sidewalk surface unless otherwise approved by the Director. A deposit shall be required where approval for such attachment is granted, and shall be equivalent to the cost, as determined by the Director, for repairing any resulting damage caused by the attachment or removal of the attachment and for restoring the street pavement, curb or sidewalk to its prior condition.

#### B. Platform Base.

- 1. Base Required. All parklets shall require a platform base. The finished floor height of the platform base shall be level with the elevation of the adjacent public sidewalk.
- 2. Decking Materials. Decking materials for the platform base may include the following:
  - a. Plastic or composite decking;
  - b. Treated wood decking:
  - c. Treated wood decking tiles;
  - d. Concrete pavers on a pre-engineered pedestal system.

Other similar materials may be approved by the Director. Plywood decking or poured concrete is prohibited; synthetic turf, carpet, or similar coverings are prohibited.

3. Color. Platform decking and skirting materials shall be limited to black, grays, browns, natural wood finishes, and similar neutral colors appropriate to the desert environment.

4. Stormwater Management. Platforms shall be designed so as not to impede the flow of stormwater and drainage. A minimum 6" horizontal gap below the decking surface shall be provided between the curb face and base frame along the gutter to allow rainwater to naturally flow without obstruction. The permittee shall be responsible for keeping drainage area free from any obstructions.

## C. Railing/Barrier.

- 1. Railing or Barrier Required. All parklets shall require a railing or similar barrier to protect the parklet and provide separation from the adjacent traffic lane.
- 2. Height. The railing or barrier shall be a minimum of 36" high from the finished deck surface of the parklet, and shall be a maximum of 43" high from the finished deck surface of the parklet.
- 3. Materials. Railing or barrier materials may include the following:
  - a. Steel, wrought iron, or aluminum;
  - b. Treated wood:
  - c. "Green walls" or espalier treatments.

Planters may be incorporated into the design of the railing or barrier, and may be constructed of the same materials as the railing or barrier; as an alternative, natural concrete pots, terracotta pots, or high-quality fiberglass or resin pots may be used when incorporated with the railing or barrier. Chain link, rope, wire/steel cable, wood lattice, prefabricated plastic/vinyl fencing, and concrete block are prohibited.

- 4. Attachment. Railings or barriers shall be attached to the deck or platform structure and shall not be attached to the roadbed or curb.
- 5. Color. The primary color of railings and barriers shall be limited to black, grays, browns, natural wood finishes, and similar neutral colors appropriate to the desert environment. Accent colors may be permitted for trim and other minor architectural details, where such accent color is consistent with the color theme of the principal restaurant facility.

#### D. Umbrellas and Other Shade Structures.

- 1. Umbrellas Preferred. Umbrellas are the preferred shading device for parklets so as to maintain visibility of adjacent businesses. Shade structures other than umbrellas may be approved by a waiver as described in this Section.
- 2. Height and Placement. Umbrellas and approved shade structures shall have a minimum seven (7) foot vertical clearance, as measured from the finished deck surface of the parklet to the bottom edge of the umbrella or shade structure, and shall not exceed a maximum of ten (10) feet in height from the

finished deck surface of the parklet. Umbrellas or other approved shade structures shall not extend past the perimeter edge of the parklet structure. Shade structures, if approved, shall be designed and positioned to minimize impacts and maintain visibility of adjacent businesses.

- 3. Materials. Umbrellas, sails, canopies, or other similar fabric shade structures shall be made with non-flammable materials or shall be treated and maintained in a flame-retardant condition.
- 4. Color. Umbrella and shade structure colors shall be consistent with the general color theme of the principal restaurant facility.
- 5. Text/Logos. No text or logos shall be permitted on umbrellas or other shade structures.

#### E. Furniture.

- 1. General Requirements. Parklet furniture and fixtures shall be consistent with the theme and details of the principal restaurant facility. Furnishings should be of quality materials and designed for outdoor use.
- 2. Materials. Furniture materials may be metal, finished wood, high-quality resin or polypropylene, vinyl, or other similar materials, and shall be consistent with the furniture utilized in the principal restaurant facility. Plastic furniture or non-commercial grade furniture is prohibited.
- 3. Color. Furniture colors shall be consistent with the color of the furniture utilized in the principal restaurant facility, or shall be consistent with the colors of the parklet materials.
- 4. Maintenance. The permittee shall properly maintain all furniture and fixtures, and shall repair or replace any furniture or fixtures that become damaged or faded.

#### F. Plant Materials.

- 1. General Requirements. The use of drought-tolerant plant materials is encouraged to screen and soften the appearance of the parklet structure. Plant materials shall be selected and maintained in such a manner so as to not impair visibility of adjacent businesses or create impacts to traffic safety.
- 2. Plant Materials. The following plant varieties are recommended:
  - a. Agave geminiflora
  - b. Carissa
  - c. Euphorbia splendens
  - d. Hesperaloe

- e. Ixora coccinea
- f. Leucophyllm sp.
- g. Pedilanthus
- h. Pedilanthus
- i. Portulacaria
- i. Russellia
- k. Variegated Dianella
- I. Yucca pallida
- m. Yucca whipplei

Other similar drought-tolerant vegetation may be approved by the Director.

3. Maintenance. All plant materials shall be well maintained by the permittee to avoid excessive growth that may interfere with visibility or accessibility; planters shall be kept free of litter and debris. The permittee shall be responsible for proper maintenance of all plant materials, and shall immediately remove and replace any dead plant materials.

# G. Lighting/Misting Systems.

- 1. Misting Systems. Misting systems are encouraged, and shall be designed to be integral to the structure of the parklet. Posts and beams may be used to support and conceal the misting system, but shall be limited to no more than 4" x 4" in width and no more than 96" in height, as measured from the deck surface of the parklet structure. Water supply for the misting system shall not be permitted to extend onto the public sidewalk or other location that may cause tripping hazards. Misting systems shall be capped off when not in use.
- 2. Lighting. Lighting for the parklet shall be designed to control glare, minimize light trespass onto adjacent properties, and avoid interference with the safe operation of motor vehicles. Lighting should incorporate full cut-off fixtures; however, bare bulbs (e.g. "Tivoli lighting") may be permitted where bulbs with a lower lumen output are used and glare issues are not created, as determined by the Director. Light bulbs shall be clear or white in color; LED fixtures are encouraged. Posts and beams may be used to support the lighting system, but shall be limited to no more than 4" x 4" in width and no more than 96" in height, as measured from the deck surface of the parklet structure. Blinking, moving, or changing intensity of illumination is not allowed. Electrical cords shall not extend onto the public sidewalk or other location that may cause tripping hazards.

# H. Safety Requirements.

1. Wheel Stops Recommended. Wheel stops shall be installed at each end of the parklet structure when directed by the Director. Wheel stops shall not be required where a parklet is directly adjacent to a landscape island or sidewalk bulb out.

- 2. Concrete Barriers. Concrete barriers ("k-rails") may be required by the Director due to specific traffic or street conditions adjacent to the parklet location. When required, a five (5) foot concrete barrier shall be placed at the leading edge of the parklet structure relative to the direction of travel. The concrete barrier shall be covered with wood or other appropriate treatment so that the appearance of the barrier is consistent with the railing or barrier utilized on the remaining sides of the parklet structure. Alternate barrier techniques may be approved provided traffic safety and visibility are not compromised.
- 3. Retroreflective Tape. Retroreflective tape shall be required at the exterior corners of the parklet railing or barrier, relative to the direction of travel. The Director may approve alternative materials or techniques provided traffic safety and visibility are not compromised.

# I. Signage.

- 1. No Additional Signage Permitted. No additional signage shall be permitted for the parklet other than the signage that is allowed for the principal business pursuant to PSZC Chapter 93.
- 2. Substitution of Signage Types. Where a permittee has not utilized an Accessory Sign or Portable Sign for the principal restaurant business, as those sign types are defined in PSZC Chapter 93, the equivalent square footage of either sign type may be utilized for signage that is to be affixed to the parklet structure. However, no more than one (1) sign may be allowed for the parklet structure.
- 3. Signage Location. Any allowable signage shall be placed on the parklet railing or barrier, and shall not extend above the top of the railing or barrier.
- 4. Applicable Sign Regulations. All other sign regulations and requirements, as identified in PSZC Chapter 93, shall be applicable to any signage utilized for the parklet structure, including illumination requirements, prohibited sign types, permit requirements, and all associated regulations.

# J. Approval Process and Criteria.

- 1. Application Submittal. An applicant for the establishment of a parklet shall submit a Land Use Permit application upon such forms as may be established by the Department, and shall be accompanied by such fees as may be established by the City Council. The application shall be signed and notarized by the property owner of the principal business that is submitting the application. Application materials shall include, but not be limited to, the following items:
  - a. A site plan of the parklet, drawn to scale;

- b. Elevations of the parklet, showing the height and construction details of the parklet;
- c. Materials and color selections for the parklet platform base, railing or barrier, posts/beams;
- d. Proposed furniture selections;
- e. Proposed umbrella or shade structure materials and colors;
- f. Proposed plant materials:
- g. Proposed lighting and misting systems;
- h. Any signage proposed for the parklet; and
- i. A list of waivers the applicant is seeking, if any.
- 2. Parklet Review Subcommittee. There is hereby established an ad hoc Parklet Review Subcommittee, which shall consist of up to three (3) members of the Architectural Review Committee. The subcommittee members shall be appointed and removed by the Chair of the Architectural Review Committee, and shall serve at the pleasure of the Chair as needed for the duration of the parklet program. Alternates to the subcommittee may be appointed by the Chair as needed. The role of the subcommittee is to review parklet applications not requiring a waiver and to consult with and advise the Director as to conformance to the criteria contained in this Section. After consulting with the subcommittee, the Director shall render a decision as to any parklet application that does not require a waiver.
- 3. Approval Authority. The approval authority for Land Use Permit applications to establish a parklet use shall be as follows:
  - a. Parklet Use with No Waivers. For applications where no waivers of these Design Guidelines are requested, the Director shall be the approval authority, in consultation with the Parklet Review Subcommittee.
  - b. Parklet Use with Waivers. For applications where waivers of these Design Guidelines are requested, the Architectural Review Committee shall be the approval authority. Meetings and actions of the Architectural Review Committee shall be conducted pursuant to the Brown Act and in accordance with the Committee's bylaws.
- 4. Director's Criteria and Findings for Parklet Use with no Waivers. In considering a Land Use Permit application for the establishment of a parklet with no waivers, the Director, in consultation with the Parklet Review Subcommittee, shall evaluate the application and make findings for conformance to the following criteria:
  - a. The proposed parklet design conforms to the Parklet Design Guidelines as listed herein:
  - b. The proposed colors and materials are consistent with colors and materials of the principal restaurant business;
  - c. The proposed parklet design is consistent and harmonious with the architectural character of surrounding businesses.

If the Director finds that these criteria have been met, the Director shall issue the Land Use Permit for the parklet use, subject to those reasonable terms and conditions consistent with the Design Guidelines.


- 5. Criteria for Waivers of the Parklet Design Guidelines. In considering a Land Use Permit application for that includes a waiver of these Design Guidelines, the Architectural Review Committee shall evaluate the application and make the following findings prior to approving a waiver:
  - a. Business owners within one-hundred and fifty (150) feet of the proposed parklet, as measured along the same street frontage in either direction of the proposed parklet, have been notified of the waiver request at least ten (10) days in advance of the proposed meeting;
  - b. Where the proposed parklet will extend in front of an abutting business or property, the permittee has obtained and submitted written consent from any affected business owner and property owner;
  - c. The proposed waiver will not result in any significant impacts to adjacent businesses;
  - d. The proposed waiver will not result in any significant impacts to public health, safety, or welfare.


# K. Operational Requirements.


- Parklet Use. The establishment of a parklet may be permitted for dining and cocktail lounge uses only. Nightclub uses, merchandise sales, or other commercial uses are prohibited.
- 2. Hours/Days of Use.
  - a. Hours of Use. The permittee shall be required to operate the parklet for the minimum hours and days per week as listed below:
    - (1) Winter Period (October 1 to May 31). Parklets shall be in operation for a minimum of thirty-six (36) hours per week.
    - (2) Summer Period (June 1 to September 30). Parklets shall be in operation for a minimum of twenty-four (24) hours per week.
  - b. Appearance of Parklet Operating Hours. The parklet area shall be set up with tables and chairs and ready to receive customers during all hours that the principal business is open to the public.
  - c. Appearance of Parklet Non-Operational Hours. Tables, chairs and umbrellas may remain in the parklet area when the principal business is closed to the public. Chairs may be stacked within the parklet area for periods of twelve (12) hours or less. As an alternative, all furnishings and equipment may be removed from parklet and stored in an indoor location.
  - d. Waiver. Any closure or suspension of use of the parklet for periods of greater than fourteen (14) days shall require approval of the City Manager.
     In submitting the request, the permittee shall provide a plan for addressing


the appearance and maintenance of the parklet during the suspension period.


- 3. Storage. No items, other than dining items (tables, chairs, and umbrellas), may be stored within the parklet area. All other equipment or furnishings, including heaters, host/hostess stands, and similar items must be stored indoors when not in use.
- 4. Music. Music in the parklet area shall be permitted pursuant to Chapter 92 of the Palm Springs Zoning Code (PSZC). No exceptions to the Noise Ordinance are permitted.




















Storm Avam flow Opening



Signage in lieu of A-Vame



umbrellas for Snade



Metal Side wells ore custom





